sting will be perfo bcorp laboratory, merly branded D	including Fax: (800) 211-0442 or (405)			Chart a		Date Color Volume_	
Physicia	n/Authorized Signature:						
3							
Сору То:							
Name							
Address							
City	State Z	ip	Requesting Physic	ian & NPI			
Name (Las	t, First)			MRN_		D0	В
Address			City			State	Zip
Home # ()Work	# ()		□ Male □ Female Race: I	⊐ Blacl	k □ White □ Hispanic □ Other	
	dicare □ Medicaid □ Insurance □	_	-				
Policy/ID #	Carrier	Group #		2nd Insurance Policy/ID #Attach secondary billing info.		Grou	ıp #
	ess			Insured's Name (if not patient check one - □ spouse	□ child	other)	
	State Zip						
	atus □ Hospital Inpatient □ Hospital Outpa			Insured's DOB			
	sis/Signs/Symptoms in ICD-CM format in effect at		, , ,			□ Billir	ng Information Attache
Collection I	Collection Time	ICD-CM4 Collection		ollection Time AM	5	ICD-CM [▲]	
· 등	Oate Collection Time Type			PM I		Specimen Type Collection Date	Collection Time AM D
Number of	/ials Submitted	Clinical Da	ta ☐ Hematuria			Conconon Date	PM E
□ Prostate	requires a sextant (6+ vials) biopsy & a PSA Va Histology Prostate Histology w/UroSco		irrent 🗆 ICC, Histo	ory Dx Date:		Fasting? Yes □ No □	-
Prostate H	stology, if Gleason 6 or 7 (3+4), Reflex to:		Type (REQUIRED)			S = Serum U =	= 24 Hr. Urine
☐ Prostate	Histology, Reflex to ConfirmMDx®@ on Non-	Cancer Substitution Voided Control	Urine (Bladder) sto Void	☐ Catheterized Urine☐ Bladder Wash		Endocrinology	Individual Serum/ 24 Hr. Urine Chemistry
Prostate His	tology, Reflex to Genomic Prostate Score $^{\otimes}$ @ on 0 1 3 + 3 or 3 + 4 \square 4 + 3 or higher (excluding	Gleason:	nduit/NeoBladder	☐ Urethral Wash		☐ Total PSA@%	☐ Alkaline Phosphatase
	Life Expectancy of ≥ 10 years? ☐ Yes ☐	ng GG5) □ Renal W □ Ureter W		☐ Renal Wash - Right ☐ Ureter Wash - Right		☐ Total PSA@%/ Rflx Free PSA with free/total PSA ratio	☐ Albumin (S) ☐ ALT
97	Histology Biopsy 🗆 Bladder Histology TU				_	☐ Total PSA@% and Free PSA with free/total PSA ratio	☐ Ammonia (U) ☐ AST
	erens (Sterilization) Histology stology:	■ INDIVIDUA	L TESTS: (May be on Stain (only) Urine	ordered or added to profile)	≿	☐ Testosterone	□ BUN
□ Consult			ne Needle Aspiration) Site:	STR	☐ Unbound Testosterone ☐ Testosterone/Unbound	☐ Calcium (S, U)☐ Chloride (S, U)
	PSA•	☐ FNA (FIR ☐ K600D I _ ng/mL		H (Pathologist Review) ‡ roalbumin ❖ □ Total Protein ❖		Testosterone with % Free □ FSH	☐ Cholesterol@% ☐ Citrate (U)
DRE Findin	g □ Normal (T1c) □ ABNL, Bilateral (T2c) □ Suspicious □ ABNL, Unilat ≤ 50% lob	ne (T2a) MicrocyteF	PLUS® URINE CYT(DLOGY PROFILES	里	☐ LH ☐ Prolactin	CO2 Creatinine (S. U)
Dravious D	☐ Multi Nodules ☐ ABNL, Unilat > 50% lob C ☐ Positive ☐ Negative ☐ PIN ☐ Su		maturia Profile .	ing Cytology (by concentration	S	☐ AFP@ ☐ Beta HCG@%	☐ Cystine (U)★ ☐ Direct Bilirubin
Therapy	☐ Chemo ☐ Cryo ☐ Hormone ☐ Ra	diation technique B2 Micros	, with Pap and Feulgen s globulin, Total Protein. 9	stain), Urine Dipstick, Microalbumin, 94 only on void, catheterized, or		☐ TSH@%	☐ Glucose@%
ICD-CM	•	post-cysto	o vola; otner collection r tology Plus Monito	nethods processed as VU3 cytology. rina Profile ±		Panels	□ HDL@% □ Magnesium (S, U)
Total	REQUIRED Specimen	- Office Oyle	ology (Pap stain)			☐ Electrolyte Panel	☐ Oxalate (U) ☐ pH (U)
Volume Collection D	mls Type ate Collection Time	AM D Bladder C	adder Cancer FISH/ (ancer FISH Assay and C cytomolecular diagnost	Cytology Pathodiagnostic Profile ‡ ytology (Pap Stain) Including ic interpretation with clinical correlation		☐ Lipid Panel@% ☐ Hepatic Function Panel	☐ Phosphorus (S, U) ☐ Potassium (S, U)
24 Hr Ilrin	Chemistry Profiles (Dianon 24hr Urine Kit REQ	by patholo	ogist (MD)			☐ Basic Metabolic Panel☐ Renal Function Panel	□ PTH □ Sodium (S, U)
Select Profile held	w or individual tests available in Chemistry section.	Cytology (ndder Cancer FISH Rei Pap stain); reflex to Bladd atypical cytology results	flex/Cytology Pathodiagnostic Profile : er Cancer FISH (Pathologist	=	☐ Comp. Metabolic Panel	☐ Sulfate (Ù)
	ne® 24 Uric Acid (Uric Acid/Creatinine/Sulfate) ne® 24 Cystine★ (Creatinine/Qualitative Cystine★)	‡ Bladder Car	ncer FISH/Urine Cytology			Panel components on back	□ Total Bilirubin□ Total Protein (S, U)
🚾 🗆 UroSto	ne® 24 Calcium (Creatinine/Calcium/Sodium/pH)	* Utilie Cytop	athology Kit (Tablet Pres r collection method requi	ervative) rements and CPT codes			☐ Triglyceride@% ☐ Uric Acid (S, U)
☐ UroSto	ne® 24 Citrate (Citrate/Creatinine)	ICD-CM	A				
	ine Clearance (Serum Creatinine/Urine Creatinine) serum & urine specimens <u>and</u>	Specimer				Other:	
Patient Hei		lbs. Collection	n Date	Collection Time AM [☐ Labcorp performed venipunctur	e & PST Initials
Oxalate/p	ne® 24★ (Calcium/Citrate/Creatinine/Magnesium/ H/Phosphorus/Qualitative Cystine*/Sodium/Uric Acid)	□ Stone A	nalysis -	□ Spontaneously Passed	₩.	Indicate previous Urinary Tract/System Results, and current Medications:	nic Disorders, Biopsy or Therap
	ne® Max24★ (Ammonia/Calcium/Chloride/Citrate/Cre m/Oxalate/pH/Phosphorus/Potassium/Sodium/Sulfate	atinine/ Urinary	Tract Calculus nalysis Kit)	☐ Lithotripsy ☐ Surgically Removed	ISTO		
Uric Acid	Qualitative Cystine*) performed on positive Qualitative Cystine at additional cha	arge.			-		(0001) 5
hen ordering tests fo Separately billabl	r which Medicare or Medicaid reimbursement will be sough e stains may be added by pathologist when medic	t, physicians should only order te ally necessary to render a d	sts that are medically ned iagnosis.	cessary for the diagnosis or treatment of th Dianon Systems, Inc. is a	e patient . subsidiar	, y of Laboratory Corporation of America Ho	(260N) Rev 10/23/20. oldings, using the brand Labcorp.
efer to Determini	g Necessity of ABN Completion on reverse.	_		_			-
ymbols Legend S = Subject to	Medicare medical necessity quidelines.				L L	AT BASE Dianon	LEFT BASE Dianon
= Subject to N	ledicare frequency guidelines. eems investigational. Medicare does not	SITE, IF APPLICABLE Dianon Systems, Inc		+	Sys	tems, Inc	Systems, Inc
pay for serv	ices it deems investigational.				L	LAT MID Dianon	LEFT MID Dianon
	SURE REQUESTING PHYSICIAN IS D the test requested is marked.	SITE, IF APPLICABLE Dianon Systems, Inc			Sys	tems, Inc	Systems, Inc
	imen Label	LTRANSITION			LL	AT APEX	LEFT APEX
	ictions	ZONE Dianon Systems, Inc			Sys	Dianon tems, Inc	Dianon Systems, Inc
 Compl 	ete the requisition with all	RTRANSITION			RLA	AT BASE	RIGHT BASE
•	ted information. re the required number of	ZONE Dianon Systems, Inc			Sys	Dianon tems, Inc	Dianon Systems, Inc
labels	from the front of this sheet.	LEFT			R	LAT MID	RIGHT MID
	one (1) label on each	Dianon Systems, Inc			Sys	Dianon tems, Inc	Dianon Systems, Inc
Specili Any Que:	nen container (not on lid). stions?	RIGHT			-	AT APEX	RIGHT APEX
	all Client Services					Dianon	Dianon
	411 1920	Dianon Systems, Inc			Sys	tems, Inc	Systems, Inc

at 1-800-411-1839

		Ibcor
+	Labcor	g will be performed at a p laboratory, including ly branded Dianon Path
^{2A} ₩		Physician/Autho
Form	3	
L 60		Copy To:

Dianon Systems,Inc 840 Research Parkway Oklahoma City, OK 73104 **Phone:** (800) 411-1839 or (405) 290-4000 **Fax:** (800) 211-0442 or (405) 290-4046

Chart # Test Requisition	LAB USE	Date Color Volume	71170
Test Requisition	<u> </u>	Volume	ľ

0	ny branded Dianon Pathology.			100111	794		
_	Physician/Authorized Signature:						
Į	Сору То:						
YSIC	Name						
표	Address						
			Requesting Physic	cian & NPI			
E	Name (Last, First)		<u> </u>			1	OOB
	Address						Zip
PAT	Home # () Work # (
	Bill: □ Medicare □ Medicaid □ Insurance □ Patien						
	Policy/ID #			2nd Insurance Policy/ID #			roup #
9	Insurance Carrier			Attach secondary billing info. Insured's Name			
	Claim Address			(if not patient check one - □ spouse I 2nd Insurance Carrier	⊐ child	□ other)	
霊	CityState Zip			Claim Address			
	Patient Status 🗆 Hospital Inpatient 🗆 Hospital Outpatient 🛭		•	Insured's DOB			
	▲ Diagnosis/Signs/Symptoms in ICD-CM format in effect at Date of S	ervic	e (Highest Specificity Required)			□ Bil	ling Information Attached
Exam	ICD-CM ^A		ICD-CM▲			ICD-CM≜	
ic E	Collection Date Collection Time		Collection Date	Collection Time AM D PM D		Specimen Type	
scop	Specimen Type		Clinical Data		-	Collection Date	Collection Time AM
Micro	Number of Vials Submitted (UroScore® requires a sextant (6+ vials) biopsy & a PSA Value)		☐ TCC, Current ☐ TCC, Hist				PM 🗆
S &	☐ Prostate Histology ☐ Prostate Histology w/UroScore®		□ Other:			Fasting? Yes □ No [_
Gross	Prostate Histology, if Gleason 6 or 7 (3+4), Reflex to: ☐ PTEN IHC ☐ PTEN/ERG IHC	Specimen Type (REQUIRED				S = Serum U	J = 24 Hr. Urine
 -	☐ Prostate Histology, Reflex to ConfirmMDx®@ on Non-Cancer	לא	☐ Voided Urine (Bladder)☐ Post-Cysto Void	☐ Catheterized Urine☐ Bladder Wash		Endocrinology	Individual Serum/ 24 Hr. Urine Chemistry
β	Prostate Histology, Reflex to Genomic Prostate Score® on Gleason:	Q	☐ Ileal Conduit/NeoBladder	☐ Urethral Wash		☐ Total PSA@%	☐ Alkaline Phosphatase
딩	\square All \square 3+3 or 3+4 \square 4+3 or higher (excluding GG5) Patient has Life Expectancy of ≥ 10 years? \square Yes \square No	<u></u>	☐ Renal Wash - Left ☐ Renal Wash - Right ☐ Ureter Wash - Left ☐ Ureter Wash - Right ☐ Other			☐ Total PSA@%/ Rflx Free PS	
띥	□ Bladder Histology Biopsy □ Bladder Histology TUR	⋋				with free/total PSA ratio ☐ Total PSA@% and Free PS	□ ALT
I≌I	☐ Vas Deferens (Sterilization) Histology	Ш				with free/total PSA ratio	□ AST
+	□ Other Histology:	Z	INDIVIDUAL TESTS: (May be ordered or added to profile) □ VU6 Pap Stain (only) Urine Cytology ‡			☐ Testosterone ☐ Unbound Testosterone	☐ BUN ☐ Calcium (S, U)
	□ Consultation:	5	☐ FNA (Fine Needle Aspiration			☐ Testosterone/Unbound	☐ Chloride (S, U)
	PSA Date PSA	S®/				Testosterone with % Free ☐ FSH	☐ Cholesterol@% ☐ Citrate (U)
	DRE Finding ☐ Normal (T1c) ☐ ABNL, Bilateral (T2c) ☐ Suspicious ☐ ABNL, Unilat ≤ 50% lobe (T2a)	Ë	MicrocytePLUS® URINE CYT	OI OGY PROFILES	ᄪ	□ LH	□ CO2 `´
	☐ Multi Nodules ☐ ABNL, Unitat > 50% lobe (T2b)	еР				☐ Prolactin ☐ AFP@	□ Creatinine (S, U)□ Cystine (U) ★
	Previous Bx ☐ Positive ☐ Negative ☐ PIN ☐ Suspicious	Ž	Cytodiagnostic Urinalysis Correla technique, with Pap and Feulgen	ating Cytology (by concentration stain), Urine Dipstick, Microalbumin,		☐ Beta HCG@% ☐ TSH@%	☐ Direct Bilirubin ☐ Glucose@%
Н	Therapy □ Chemo □ Cryo □ Hormone □ Radiation	crocytel		994 only on void, catheterized, or methods processed as VU3 cytology.		<u>П 1311@ //</u>	□ HDL@%
	ICD-CM ^A REQUIRED	Mic	Urine Cytology Plus Monito	oring Profile ‡		Panels	☐ Magnesium (S, U) ☐ Oxalate (U)
	Total Specimen Type				☐ Electrolyte Panel☐ Lipid Panel@%	□ pH (U) □ Phosphorus (S, U)	
	Collection Date Collection Time AM □ PM □	□ VU1D Bladder Cancer FISH/Cytology Pathodiagnostic Profile ‡ Bladder Cancer FISH Assay and Cytology (Pap Stain) Including integrated cytomolecular diagnostic interpretation with clinical correlation VU1D Bladder Cancer FISH Cytology Pathodiagnostic Profile ‡			☐ Hepatic Function Panel	☐ Potassium (S, Ú)	
	24 Hr Urine Chemistry Profiles (Dianon 24hr Urine Kit REQUIRED)	by pathologist (MD)			☐ Basic Metabolic Panel☐ Renal Function Panel☐	□ PTH □ Sodium (S, U)	
빌	Select Profile below or individual tests available in Chemistry section.	Cytology (Pap stain): reflex to Blade	VU4D Bladder Cancer FISH Reflex/Cytology Pathodiagnostic Profile ‡ Cytology (Pap stain); reflex to Bladder Cancer FISH (Pathologist review) on atypical cytology results			☐ Sulfate (Ù)	
URINE	☐ UroStone® 24 Uric Acid (Uric Acid/Creatinine/Sulfate) ☐ UroStone® 24 Cystine★ (Creatinine/Qualitative Cystine⋆)	Bladder Cancer FISH/Urine Cytology			Panel components on back	□ Total Bilirubin □ Total Protein (S, U)	
2	☐ UroStone® 24 Calcium (Creatinine/Calcium/Sodium/pH)		 Urine Cytopathology Kit (Tablet Pressee reverse for collection method requ 	servative)			☐ Triglyceride@%
품	☐ UroStone® 24 Citrate (Citrate/Creatinine)	Control of the Contro			☐ Uric Acid (S, U)		
24	☐ Creatinine Clearance (Serum Creatinine/Urine Creatinine)		эресппен туре			☐ Other:	
	requires serum & urine specimens <u>and</u>	ES					
	Patient Height:	Collection Date	Collection Time AM PM		☐ Labcorp performed venipuncture & PST Initials		
	Oxalate/pH/Phosphorus/Qualitative Cystine*/Sodium/Uric Acid)	☐ Stone Analysis -	☐ Spontaneously Passed	-	Indicate previous Urinary Tract/Sys Results, and current Medications:	temic Disorders, Biopsy or Therapy	
	☐ UroStone® Max24★ (Ammonia/Calcium/Chloride/Citrate/Creatinine/	Urinary Tract Calculus	Lithotripsy	STO			
	Magnesium/Oxalate/pH/Phosphorus/Potassium/Sodium/Sulfate Uric Acid/Qualitative Cystine⋆)		(Stone Analysis Kit)	☐ Surgically Removed			
When	antitative Cystine performed on positive Qualitative Cystine at additional charge. ordering tests for which Medicare or Medicaid reimbursement will be sought, physicia parately billable stains may be added by pathologist when medically nece			ecessary for the diagnosis or treatment of the	patient.	PHYSICIAN'S COPY y of Laboratory Corporation of America	
1000	a. a.c., amadic dame may be added by patriologist when medically nece	Juary	orraci a diagrivoro.	Dianon Oystellis, ilic. is a si	oiulai)	, or Euroratory Corporation of Amelica	

Refer to Determining Necessity of ABN Completion on reverse.

Symbols Legend

@ = Subject to Medicare medical necessity guidelines.

% = Subject to Medicare frequency guidelines.

= Medicare deems investigational. Medicare does not

pay for services it deems investigational.

PLEASE ENSURE REQUESTING PHYSICIAN IS INDICATED AND THE TEST REQUESTED IS MARKED.

Specimen Label

Instructions . . .

- 1. Complete the requisition with all requested information.
- 2. Remove the required number of labels from the front of this sheet.
- Place one (1) label on each specimen container (not on lid).

Any Questions? Please Call Client Services at 1-800-411-1839

Medical Necessity

- Determining Necessity of Advance Beneficiary Notice of Non-coverage (ABN) Completion*

 1. Diagnose. Determine your patient's diagnosis.

 2. Document. Write the diagnosis code(s) on the front of this requisition.

 3. Verify. Determine if the laboratory test(s) ordered for the patient is subject to Local Coverage Determination or National Coverage Determination. This information can be located in the policies published by your Medicare Administrative Contractor (MAC), CMS, or www.Labcorp.com/MedicareMedicalNecessity.

 4. Review. If the diagnosis code for your patient does not meet the medical necessity requirements set forth by the Medicare carrier or the test(s) is/are being performed more frequently that the carrier allows, an ABN should be completed.

 *An ABN should be completed for all tests that are considered research or investigational by Medicare.

How to Complete an Advance Beneficiary Notice of Non-coverage (ABN)

Medicare is very specific in requiring that all of the information included on the ABN be completed. Additionally, Labcorp requests that the specimen number or bar code label be included on the form. To be valid an ABN must.

- Be executed on the CMS approved ABN form (CMS-R-131)
 Identify the Medicare Part B Beneficiary, using the name as it appears on the patient's red, white and blue Medicare card Indicate the test(s)/procedure(s) which may be denied within the relevant reason column Include an estimated cost for the test(s)/procedure(s) subject to the ABN Have 'Option 1', 'Option 2', or 'Option 3' designated by the beneficiary

 Be signed and dated by the beneficiary or his/her representative prior to the service being rendered

Symbols used to designate local/national medical review as of 10/01/2024

- @ = Subject to Medicare medical necessity guidelines
- %= Subject to Medicare frequency guidelines #= Medicare deems investigational. Medicare does not pay for services it deems investigational.

TUBE AND SPECIMEN TRANSPORTATION REQUIREMENTS											
TEST	TUBE	CPT	SPECIMEN	TEST	TUBE	CPT	SPECIMEN	TEST	TUBE	CPT	SPECIMEN
AFP	(SST)	82105	(S,R)	Comprehensive Metabolic Pane	(SST)	80053	(S,R)	Prolactin	(SST)	84146	(S,R)
Albumin	(SST)	82040	(S,R)	Creatinine	(SST)	82565	(S,R)	PSA	(SST)	84153	(S,R)
ALT	(SST)	84460	(S,R)	Creatinine Clearance	(Urine+SST)	82575	(U,S,R)	PSA, Free	(SST)	84154	(S,R)
Alkaline Phosphatase	(SST)	84075	(S,R)	Direct Bilirubin	(SST)	82248	(S,R)	PTH ♦	(SST)	83970	(S,R)
AST	(SST)	84450	(S,R)	Electrolyte Panel	(SST)	80051	(S,R)	Renal Function Panel	(SST)	80069	(S,R)
Basic Metabolic Panel	(SST)	80048	(S,R)	FSH	(SST)	83001	(S,R)	Sodium	(SST)	84295	(S,R)
Beta HCG	(SST)	84702	(S,R)	Glucose	(SST)	82947	(S,R)	Testosterone	(SST)	84403	(S,R)
BUN	(SST)	84520	(S,R)	Hepatic Function Panel	(SST)	80076	(S,R)	Total Bilirubin	(SST)	82247	(S,R)
Calcium	(SST)	82310	(S,R)	HDL	(SST)	83718	(S,R)	Total Protein	(SST)	84155	(S,R)
CBC with Plt	(LT)	85027	(WB,R)	LH	(SST)	83002	(S,R)	Triglycerides	(SST)	84478	(S,R)
CBC with Plt & Diff	(LT)	85025	(WB,R)	Lipid Panel	(SST)	80061	(S,R)	TSH	(SST)	84443	(S,R)
Chloride	(SST)	82435	(S,R)	Magnesium	(SST)	83735	(S,R)	Unbound Testosterone	(SST)	84402	(S,R)
Cholesterol	(SST)	82465	(S,R)	Phosphorus	(SST)	84100	(S,R)	Uric Acid	(SST)	84550	(S,R)
CO ₂	(SST)	82374	(S,R)	Potassium	(SST)	84132	(S,R)				

TUBE REQUIREMENTS: SST-Serum Separator Tube LT-Lavender Top

SPECIMEN REQUIREMENTS: F-Frozen S-Serum R-Refrigerate U-Urine WB-Whole Blood ♦ Must be processed within 48 hours of collection if not received frozen

MicroCytePLUS®/Urine Cytology							
<u>Test</u>	<u>CPT</u>						
994 Hematuria Profile-Urine Cytology	Voided, Catheterized, Post-Cysto Void	88108, 88313, 81003, 82232, 82043, 84156					
K600D Bladder Cancer FISH Pathodiagnostic	Voided, Catheterized, Post-Cysto Void, Wash (Bladder, Renal, Ureter)	88120					
VU1D Bladder Cancer FISH/Cytology Pathodiagnostic Profile	Voided, Catheterized, Post-Cysto Void, Wash (Bladder, Renal, Ureter)	88112, 88120					
VU4D Bladder Cancer FISH Reflex/Cytology Pathodiagnostic	Voided, Catheterized, Post-Cysto Void, Wash (Bladder, Renal, Ureter)	88112, if reflexed, 88120					
VU3 Cytology Plus Monitoring Profile	Voided, Catheterized, Post-Cysto Void, Wash (Bladder, Renal, Ureter), Ileal Conduit/Neobladder	88112					
VU6 Cytology Pap Stain Only	Voided, Catheterized, Post-Cysto Void, Wash (Bladder, Renal, Ureter), Ileal Conduit/Neobladder	88112					

EXPLANATION OF MicrocytePLUS®/URINE CYTOLOGY TESTING

Hematuria Profile I - Urine Cytology for directing further evaluations of patients currently not monitored for TCC who present with hematuria or other signs of urinary tract or renal disease. Feulgen performed on Hematuria Profile.

Urine Volume - Provide a minimum of 50mL urine for optimum cellularity. Urine Viability - Bladder Cancer FISH to 7 days, Cytology or Hematuria to 8 days.

Bladder Cancer FISH Cytology Pathodiagnostic Profile for therapeutic monitoring of patients with a history of TCC and for initial diagnosis of patients presenting with hematuria with suspicions of TCC.

Bladder Cancer FISH Pathodiagnostic Test is Bladder Cancer FISH Assay, including diagnostic interpretation with clinical correlation by pathologist (MD). Bladder Cancer FISH results are intended for use as a method for monitoring for tumor recurrence in patients previously diagnosed with bladder cancer.

Bladder Cancer FISH will not be performed on Ileal Conduit/Neobladder urine specimens.

EXPLANATION OF REFLEX TESTING

Reflex Free PSA Testing
Free PSA will be performed and billed if "Reflex Free PSA" is requested and the total PSA results fall within the requesting physician's previously defined parameters. The default range is 2-10 ng/ml.

Quantitative Cystine

When a qualitative cystine is positive, a quantitative cystine will be performed at an additional charge.

Specimen Collection Information

- *Avoid submitting tissue specimens on fibrous materials such as gauze.
- *After tissue has been obtained, place biopsy into 10% Formalin immediately. Do Not allow to air dry.
- *All Urine Cytologies, FNA's and Fluid Aspirates must be submitted in the cytology alcohol fixative provided. *Hematuria Profile Specimens must be collected in a preservative tablet kit.
- *All 24 Hour Urine Specimens must be collected in a Dianon 24 Hour Urine Specimen Collection Kit (orange collection container) and submitted in the two vials provided

HELPFUL HINTS

24 Hour Urine Specimens - Do Not Collect First Morning Void

Kit Orders may be placed through our Client Relations Department at 800-411-1839.

Please do not return unused histology vials or fixative bottles to our lab. Please dispose of unused histology vials in accordance with local laws and regulations regarding formalin disposal.

DESCRIPTION OF PRIMARY LAB TESTING

AMA PANELS

Electrolyte Panel 80051 - Sodium, Potassium, Chloride, Carbon Dioxide

<u>Lipid Panel</u> 80061@% - Chol@%, HDL@%, LDL (calculated)@%, Triglycerides@%

Hepatic Function Panel 80076 - Total Protein, Albumin, Total Bilirubin, Direct Bilirubin, Alkaline Phosphatase, SGOT (AST), SGPT (ALT)

Basic Metabolic Panel 80048 - Calcium, CO2 (Carbon Dioxide), Chloride, Creatinine, Glucose@%, Potassium, Sodium, Urea Nitrogen (BUN)

Renal Function Panel 80069 - Albumin, Calcium, CO2 (Carbon Dioxide), Chloride, Creatinine, Glucose@%, Phosphorus Serum, Potassium, Sodium, Urea Nitrogen (BUN)

Comprehensive Metabolic Panel 80053 - SGPT (ALT), Albumin, Total Bilirubin, Calcium, Chloride, Creatinine, Glucose@%, Alkaline Phosphatase, Potassium, Total Protein, Sodium, SGOT (AST), Urea Nitrogen (BUN), CO2 (Carbon Dioxide)

PROFILES

Hematology 85027@ / 85025@ - CBC with PLT@, CBC with PLT and Diff@

24 Hr Urine CPT Codes

Ammonia 82140, Calcium 82340, Chloride 82436, Citrate 82507, Creatinine 82570, Magnesium 83735, Oxalate 83945, pH 83986, Phosphorus 84105, Potassium 84133, Qualitative Cystine 82127, Quantitative Cystine 82131, Sodium 84300, Sulfate 84392, Total Protein 84156, Uric Acid 84560

ConfirmMDx and GPS testing performed and billed by MDxHealth® at Irvine, CA ConfirmMDx® and Genomic Prostate Score® are registered trademarks of MDxHealth SA.

Test Combination/Panel Policy

Labcorp's policy is to provide physicians, in each instance, with flexibility to choose appropriate tests to assure that the convenience of ordering test combinations/panels do not distance physicians who wish to order a test combination/panel from making deliberate decisions regarding which tests are truly medically necessary. All the tests offered in test combinations/panels may be ordered individually using the Labcorp request form. Labcorp encourages clients to contact their local Labcorp representative or Labcorp location if the testing configurations shown here do not meet individual needs for any reason, or if some other combination of procedures is desired.

In an effort to keep our clients fully informed of the content, charges and coding of its test combinations/panels when billed to Medicare, we periodically send notices concerning customized test combinations/panels, as well as information regarding patient fees for all Labcorp services. We also welcome the opportunity to provide, on request, additional information in connection with our testing services and the manner in which they are billed to physicians, health care plans, and patients.

The CPT code(s) listed here are in accordance with the current edition of Current Procedural Terminology, a publication of the American Medical Association. CPT codes are provided here for the convenience of our clients; however, correct coding often varies from one carrier to another. Consequently, the codes presented here are intended as general guidelines and should not be used without confirming with the appropriate payor that their use is appropriate in each case. All laboratory procedures will be billed to third-party carriers (including Medicare and Medicaid) at fees billed to patients and in accordance with the specific CPT coding required by carrier. Microbiology CPT code(s) for additional procedures such as susceptibility testing, identification, serotyping, etc. will be billed in addition to the primary codes when appropriate. Labcorp will process the specimen for a Microbiology test